



# Thomas & Betts

## ANALYSIS OF NEC ®

2017 Code Changes: Article Section 110.14(D) Installation  
Section 110.14(D) Installation

**Thomas&Betts**  
A Member of the ABB Group

© 2017 Thomas & Betts. Specifications are subject to change without notice.

## Section 110.14(D) Installation

### Section 110.14(D) Installation


**(D) Installation.** Where a tightening torque is indicated as a numeric value on equipment or in installation instructions provided by the manufacturer, a calibrated torque tool shall be used to achieve the indicated torque value, unless the equipment manufacturer has provided installation instructions for an alternative method of achieving the required torque.

### Analysis of the Change

This new requirement will mandate the installer of mechanical connectors and lugs that include a numerical torque value to use a calibrated torque tool for installation. Alternative means are identified for connectors that will not require a torque tool such as connectors with shear bolts that are designed to shear at a manufacturer's designed torque value.

### Products

Blackburn and Homic electrical connectors.



# Contact Us

If you have any questions or require interpretation assistance, please contact the following:

David Kendall ..... 1-800-888-0211 Ext. 8879

Greg Steinman ..... 1-800-888-0211 Ext. 5719

Jean Blanc ..... 1-800-888-0211 Ext. 5670

Thomas & Betts Corporation

8155 T&B Blvd.

Memphis, TN 38125

[www.tnb.com](http://www.tnb.com)

Disclaimer: This is not intended to be an iteration of all the changes, but a reference of a change that may affect the Thomas & Betts, ABB & Baldor product lines. For a more in-depth document, please contact the International Association of Electrical Inspectors at [www.iaei.org](http://www.iaei.org).

Material taken from the National Electrical Code is reprinted with permission from NFPA 70®-2017, National Electrical Code®, Copyright © 2016, National Fire Protection Association, Quincy, MA. This material is not the official position of the NFPA on the referenced subject, which is represented only by the standard in its entirety.

National Electrical Code® and NEC® are registered trademarks of the National Fire Protection Association, Quincy, MA.

The National Fire Protection Association did not produce, review or approve this publication and assumes no responsibility for the application or use of any NEC related material or product set out herein.

Do not duplicate any part of this publication without the permission of a member of the Industry Affairs Group of Thomas & Betts.



**Thomas&Betts**  
A Member of the ABB Group