



Ty-Duct




SOLID WALL





SLOTTED WALL


NOTES:

1. MATERIAL: MODIFIED PPE, HALOGEN FREE, COLOR- WHITE
2. TEMPERATURE RATING: -40°F [-40°C] TO 203°F [95°C]
3. FLAMMABILITY RATING: UL94V-1

GENERAL NOTES		 www.tnb.com			
1. ALL DIMENSIONS ARE FOR REFERENCE ONLY.	REVISIONS	DESCRIPTION: WIRING DUCT DIVIDER HALOGEN FREE			
2. DIMENSIONS IN BRACKETS [] ARE IN METRIC UNITS.					
-	SEE ERN **** FOR APPROVAL SIGNATURES & RELEASE DATE. PROJECT NO: ****	ORIGINAL PROJECT NO / (ERN NO)	SHEET NO:	REV. NO:	DRAWING NO:
		FD55656 / (2006987)	1 OF 3	-	WSD-000285



CATALOG NO.	A		
TY1DSHW6	.550 [13,97]		
TY15DSHW6	1.000 [25,4]		
TY2DSHW6	1.494 [37,95]		
TY3DSHW6	2.420 [61,47]		
TY4DSHW6	3.450 [87,63]		
TY5DSHW6	4.411 [112,04]		
	Thomas & Betts <small>www.tnb.com</small>		
	DESCRIPTION: WIRING DUCT DIVIDER HALOGEN FREE		
	SHEET NO: 2 OF 3	REV. NO: -	DRAWING NO: WSD-000285



CATALOG NO.	A			
TY1DWHW6	.550 [13,97]			
TY15DWHW6	1.000 [25,4]			
TY2DWHW6	1.494 [37,95]			
TY3DWHW6	2.420 [61,47]			
TY4DWHW6	3.450 [87,63]			
TY5DWHW6	4.411 [112,04]			
	Thomas & Betts <small>www.tnb.com</small>			
	DESCRIPTION: WIRING DUCT DIVIDER HALOGEN FREE			
		SHEET NO: 3 OF 3	REV. NO: -	DRAWING NO: WSD-000285